

OPERATOR: ROPLAN
 AIRCRAFT TYPE: EUROCOPTER EC 130 T2 (H130)
 AIRCRAFT S/N: 8398
 REGISTRATION: SE-JVG

Ng CY. ENL.FLIGHT LOG: 47,00
 Nf CY. ENL.FLIGHT LOG: 18,00

AC/TT: 34,5
 LANDINGS: 0
 ENG./TT: 0,0
 ENG.Ng/CY: 47,00
 ENG.Nf/CY: 18,00

DATE 180219

A=Airframe hrs, E= Engine hrs, L=Landings, C=Cycles

INSPECTION	P/N	S/N	POS.	INSTALLATION		TBO	TBO	REM	REM	HRS/	M. TO	HRS / C	CODE	VARN	REMARKS
				DATE.	HRS /	HRS /	M	HRS /	DATE	C/M IN	SERV	TO			
				DATE.	CYCLE	CYCLE		CYCLE							
AFF/BLF, CARRIED OUT BY AIRCREW					0		1D						A		INSPECTION
10 HRS / 7 DAY INSPECTION	MSM 05-20			180219	33,4	0	10 h	0,2 m	43,4	180219	1 h	-0,0 m	9 h	A	VARN INSPECTION
ENGINE HEALTH INSPECTION				170930	33,4	0	25 h		58,4				24 h	A	INSPECTION
ENGINE SOAP				170701	0,0	0	50 h		50,0				16 h		OPTIONAL
150-HRS, AIRFRAME				170701	0,0	0	150 h	12M	150,0	180701	35 h	4,3 m	116 h	A	INSPECTION
600-HRS, AIRFRAME				170701	0,0	0	600 h	24M	600,0	190701		16,3 m	566 h	A	INSPECTION
800 HRS ENGINE INSPECTION				170701	0,0	0	800 h		800,0		35 h		766 h	A	INSPECTION
1200-HRS, AIRFRAME				170701	0,0	0	1200 h	48M	1200,0	210701	35 h	40,4 m	1166 h	A	INSPECTION
144-MONTH INSPECTION	MSM 05-25			170701	0,0	0		144M		290701		136,5 m		A	INSPECTION
REPETITIVE AD/SB															
TAILBOOM INSP	2017-0080			170701	0,0		350 h		350,0		35 h		316 h	A	FIRST DUE
SWITCH INSPECTION	AD 2017-0059			170701	0,0		660 h	12	660,0	180701		4,3 m	626 h	A	INSPECTION
CHECK OF MR HUB	AD 2017-0032			170701	0,0		330		330		35 h		296 h	A	INSPECTION
HMU	AD 2016-0004			170701	0,0		800		800,0		35 h		766 h	A	INSPECTION
AIRWORTHINESS LIMITATIONS - AIRFRAME, MSM CH04															
MAIN ROTOR BLADE	355A11-0030-04	44959		170701	0,0		20000 h		20000,0		35 h		19966 h	A	##### RETIRE
MAIN ROTOR BLADE	355A11-0030-04	44964		170701	0,0		20000 h		20000,0		35 h		19966 h	A	##### RETIRE
MAIN ROTOR BLADE	355A11-0030-04	44971		170701	0,0		20000 h		20000,0		35 h		19966 h	A	##### RETIRE
STARFLEX STAR	350A31-1918-00	M4636		170701	0,0		3000 h		3000,0		35 h		2966 h	A	##### RETIRE
SPHERICAL THRUST BEARING	704A33-6332-08	LK25824		170701	0,0		6400 h		6400,0		35 h		6366 h	A	RETIRE
SPHERICAL THRUST BEARING	704A33-6332-08	LK25819		170701	0,0		6400 h		6400,0		35 h		6366 h	A	RETIRE
SPHERICAL THRUST BEARING	704A33-6332-08	LK25818		170701	0,0		6400 h		6400,0		35 h		6366 h	A	RETIRE
LOWER SLEEVE FLANGE	350A31-1850-02	M40176		170701	0,0		6600 h		6600,0		35 h		6566 h	A	RETIRE
LOWER SLEEVE FLANGE	350A31-1850-02	M40178		170701	0,0		6600 h		6600,0		35 h		6566 h	A	RETIRE
LOWER SLEEVE FLANGE	350A31-1850-02	M40179		170701	0,0		6600 h		6600,0		35 h		6566 h	A	RETIRE
UPPER SLEEVE FLANGE	350A31-1850-03	M39827		170701	0,0	0,0	6600 h		6600,0		35 h		6566 h	A	##### RETIRE
UPPER SLEEVE FLANGE	350A31-1850-03	M39829		170701	0,0		6600 h		6600,0		35 h		6566 h	A	##### RETIRE
UPPER SLEEVE FLANGE	350A31-1850-03	M40089		170701	0,0		6600 h		6600,0		35 h		6566 h	A	##### RETIRE
MAIN ROTOR SHAFT	350A37-1290-04	FR2926		170701	0,0		NO HRS LIMIT							A	RETIRE
MAIN ROTOR SHAFT	350A37-1290-04	FR2926		170701	0,0	0,0	90000 c		90000,0		47 c		89953 h	C	RETIRE
BLADE HORN	350A31-1877-03	MAP11508		170701	0,0	0,0	80000 h		80000,0		34,5 h		79966 h	A	RETIRE
BLADE HORN	350A31-1877-03	MAP11938		170701	0,0	0,0	80000 h		80000,0		34,5 h		79966 h	A	RETIRE

OPERATOR: ROPLAN
 AIRCRAFT TYPE: EUROCOPTER EC 130 T2 (H130)
 AIRCRAFT S/N: 8398
 REGISTRATION: SE-JVG

Ng CY. ENL.FLIGHT LOG: 47,00
 Nf CY. ENL.FLIGHT LOG: 18,00

AC/TT: 34,5
 LANDINGS: 0
 ENG./TT: 0,0
 ENG.Ng/CY: 47,00
 ENG.Nf/CY: 18,00

DATE 180219

A=Airframe hrs, E= Engine hrs, L=Landings, C=Cycles

INSPECTION	P/N	S/N	POS.	INSTALLATION			TBO	TBO	REM	REM	HRS/ C/M IN	M. TO	HRS / C	CODE	VARN	REMARKS
				DATE.	HRS /	TSO	HRS /	M	HRS /	DATE		SERV	TO			
BLADE HORN	350A31-1877-03	MAP11951		170701	0,0	0,0	80000 h		80000,0		34,5 h		79966 h	A		RETIRE
SPHERICAL THRUST BEARING BOLT	350A31-1854-21	72540		170701	0,0	0,0	3000 h		3000,0		34,5 h		2966 h	A		RETIRE
SPHERICAL THRUST BEARING BOLT	350A31-1854-21	72542		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
SPHERICAL THRUST BEARING BOLT	350A31-1854-21	72545		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
SPHERICAL THRUST BEARING BOLT	350A31-1854-21	72597		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
SPHERICAL THRUST BEARING BOLT	350A31-1854-21	72605		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
SPHERICAL THRUST BEARING BOLT	350A31-1854-21	72701		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1244-20	120823		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1244-20	120829		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1244-20	120831		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1244-20	120836		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1244-20	120845		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1244-20	121044		170701	0,0	0,0	3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1245-20	116683		170701	0,0	0,0	3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1245-20	113742		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1245-20	113762		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1245-20	113784		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1245-20	113883		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
MRH ATTACHMENT BOLT	350A37-1245-20	113884		170701	0,0		3000 h		3000,0		34,5 h		2966 h	A		RETIRE
UNEQUIPPED BLADE PIN	350A31-1771-21	M56640		170701	0,0	0,0	INF							A		RETIRE
UNEQUIPPED BLADE PIN	350A31-1771-21	M56671		170701	0,0	0,0	INF							A		RETIRE
UNEQUIPPED BLADE PIN	350A31-1771-21	M56745		170701	0,0		INF							A		RETIRE
UNEQUIPPED BLADE PIN	350A31-1771-21	M56667		170701	0,0		INF							A		RETIRE
UNEQUIPPED BLADE PIN	350A31-1771-21	M55697		170701	0,0		INF							A		RETIRE
UNEQUIPPED BLADE PIN	350A31-1771-21	M56759		170701	0,0		INF							A		RETIRE
SCISSORS DRIVE ADAPTER	350A37-1119-25	S1246		170701	0,0	0,0	20000 h		20000,0		35 h		19966 h	A	#####	RETIRE
SCISSOR LINK UPPER	350A37-1126-03	SD1102		170701	0,0	0,0	20000 h		20000,0		35 h		19966 h	A	#####	RETIRE
SCISSOR LINK UPPER	350A37-1126-03	SD873		170701	0,0	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
SCISSOR LINK LOWER	350A37-1127-02	SD6805		170701	0,0	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
SCISSOR LINK LOWER	350A37-1127-02	SD6735		170701	0,0		20000 h		20000,0		35 h		19966 h	A		RETIRE
NON-ROTATING SWASHPLATE	350A37-1002-07	CUR02740		170701	0,0	0,0	INF							A		RETIRE
ROTATING SWASHPLATE	350A37-1018-00	CUR00348		170701	0,0	0	20000 h		20000,0		35 h		19965,5	A		RETIRE
MGB-ENGINE LINK SHAFT	350A35-1109-20	SP028		170701	0,0		201000 c		201000,0		47 h		200953 h	A	#####	RETIRE
MGB-ENGINE LINK FLANGE	350A35-1088-20	PPT01304		170701	0,0		121000 c		121000,0		47 h		120953 h	A	#####	RETIRE
PLANET GEAR, UNEQUIPPED	350A32-1114-20	M8991		170701	0,0		20000 h		20000,0		35 h		19966 h	A	#####	RETIRE

OPERATOR: ROPLAN
 AIRCRAFT TYPE: EUROCOPTER EC 130 T2 (H130)
 AIRCRAFT S/N: 8398
 REGISTRATION: SE-JVG

Ng CY. ENL.FLIGHT LOG: 47,00
 Nf CY. ENL.FLIGHT LOG: 18,00

AC/TT: 34,5
 LANDINGS: 0
 ENG./TT: 0,0
 ENG.Ng/CY: 47,00
 ENG.Nf/CY: 18,00

DATE 180219

A=Airframe hrs, E= Engine hrs, L=Landings, C=Cycles

INSPECTION	P/N	S/N	POS.	INSTALLATION		TBO HRS /	TBO M	REM HRS /	REM DATE	HRS/ C/M IN	M. TO SERV	HRS / C	CODE	VARN	REMARKS
				DATE	HRS / TSO										
PLANET GEAR, UNEQUIPPED	350A32-1114-20	M9182		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
PLANET GEAR, UNEQUIPPED	350A32-1114-20	M9385		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
PLANET GEAR, UNEQUIPPED	350A32-1114-20	M9394		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
PLANET GEAR, UNEQUIPPED	350A32-1114-20	M9468		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
FIXED RING GEAR	350A32-1119-20	L9588		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
PLANET GEAR CAGE	350A32-1089-21	CUR02952		170701	0,0	49000 c		49000,0		47 c		48953 h	C		RETIRE
INPUT BEVEL PINION	350A32-3186-20	M296		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
BEVEL WHEEL	350A32-3166-20	L4895		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
MAIN HOUSING ASSY	350A32-3156-02	MAP1545		170701	0,0	20000 h		20000,0		35 h		19966 h	A	#####	RETIRE
MAIN HOUSING ASSY	350A32-3156-02	MAP1545		170701	0,0	120000 c		120000,0		47 h		119953 h	A	#####	RETIRE
MGB BOTTOM HOUSING	350A32-3119-05	MAP9646		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
MGB BOTTOM HOUSING	350A32-3119-05	MAP9646		170701	0,0	N/A									
SUN GEAR	350A32-1075-20	L10900		170701	0,0	INF									
FREE WHEEL SHAFT	0292-90-0230	I152		170701	0,0	120000 c		120000,0		47 h		119953 h	A		RETIRE
FREE WHEEL FLANGE	0292-90-0250	I259CZ		170701	0,0	90000 c		90000,0		47 h		89953 h	A		RETIRE
MGB SUSPENSION CROSS BAR	350A38-1041-20	SD88		170701	0,0	160000 c		160000,0		35 h		159966 h	A		RETIRE
FRONT BAR	704A33-633-262	6721		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
FRONT BAR	704A33-633-262	6713		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
REAR BAR	704A33-633-075	I3359		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
REAR BAR	704A33-633-075	I3365		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
FRONT ATTACHMENT FITTING	350A21-1104-03	UNK		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
REAR ATTACHMENT FITTING	350A21-1105-03	UNK		170701	0,0	20000 h		20000,0		35 h		19966 h	A		RETIRE
TAIL ROTOR BLADE ASSEMBLY	350A33-3004-00	M807		170701	0,0	10000 h		10000,0		35 h		9966 h	A	#####	RETIRE
TAIL ROTOR BLADE ASSEMBLY	350A33-3004-00	M835		170701	0,0	10000 h		10000,0		35 h		9966 h	A	#####	RETIRE
TAIL ROTOR BLADE ASSEMBLY	350A33-3004-00	M848		170701	0,0	10000 h		10000,0		35 h		9966 h	A	#####	RETIRE
TAIL ROTOR BLADE ASSEMBLY	350A33-3004-00	M853		170701	0,0	10000 h		10000,0		35 h		9966 h	A	#####	RETIRE
TAIL ROTOR BLADE ASSEMBLY	350A33-3004-00	M854		170701	0,0	10000 h		10000,0		35 h		9966 h	A	#####	RETIRE
TAIL ROTOR BLADE ASSEMBLY	350A33-3004-00	M860		170701	0,0	10000 h		10000,0		35 h		9966 h	A	#####	RETIRE
TAIL ROTOR BLADE ASSEMBLY	350A33-3004-00	M865		170701	0,0	10000 h		10000,0		35 h		9966 h	A	#####	RETIRE
TAIL ROTOR BLADE ASSEMBLY	350A33-3004-00	M887		170701	0,0	10000 h		10000,0		35 h		9966 h	A	#####	RETIRE
TAIL ROTOR BLADE ASSEMBLY	350A33-3004-00	M902		170701	0,0	10000 h		10000,0		35 h		9966 h	A	#####	RETIRE
TAIL ROTOR BLADE ASSEMBLY	350A33-3004-00	M920		170701	0,0	10000 h		10000,0		35 h		9966 h	A	#####	RETIRE
TAIL ROTOR HUB	350A33-3120-01	CUR00782		170701	0,0	6900 h		6900,0		35 h		6866 h	A	#####	RETIRE
FRONT SHAFT SECTION ASSEMBLY	350A34-0151-00	PPT01947		170701	0,0	20000 h		20000,0		35 h		19966 h	A	#####	RETIRE
CENTER SHAFT SECTION TUBE ASSEMBLY	350A34-0214-01	PPT00087		170701	0,0	20000 h		20000,0		35 h		19966 h	A	#####	RETIRE

OPERATOR: ROPLAN
 AIRCRAFT TYPE: EUROCOPTER EC 130 T2 (H130)
 AIRCRAFT S/N: 8398
 REGISTRATION: SE-JVG

Ng CY. ENL.FLIGHT LOG: 47,00
 Nf CY. ENL.FLIGHT LOG: 18,00

AC/TT: 34,5
 LANDINGS: 0
 ENG./TT: 0,0
 ENG.Ng/CY: 47,00
 ENG.Nf/CY: 18,00

DATE 180219

A=Airframe hrs, E= Engine hrs, L=Landings, C=Cycles

INSPECTION	P/N	S/N	POS.	INSTALLATION			TBO	TBO	REM	REM	HRS/ C/M IN	M. TO	HRS / C	CODE	VARN	REMARKS
				DATE.	HRS /	TSO	HRS /	M	HRS /	DATE		SERV	TO			
INPUT FLANGE	350A33-5102-20	SP921		170701	0,0		20000 h		20000,0		35 h		19966 h	A	#####	RETIRE
AIR INTAKE ATTACHMENT FITTINGS	350A25-0405-0X			170701	0,0		100 h		100,0		35 h		66 h	A	#####	CHK
MAIN ROTOR BLADE	355A11-0030-XX			170701	0,0		150 h		150,0		35 h		116 h	A	#####	CHK
BEARING	593404			170701	0,0		150 h		150,0		35 h		116 h	A	#####	CHK
BEARING	593404			170701	0,0		600 h		600,0		35 h		566 h	A		DI, LUB
CENTER SHAFT SECTION SLEEVES	704A33-698-027			170701	0,0		150 h		150,0		35 h		116 h	A		GVI
BEVEL WHEEL	350A33-5111-21	M822		170701	0,0		20000 h		20000,0		35 h		19966 h	A	#####	RETIRE
BEVEL PINION	350A33-5118-21	M917		170701	0,0		12400 h		12400,0		35 h		12366 h	A		RETIRE
TGB CASING	350A33-5140-01	ML0918		170701	0,0		20000 h		20000,0		35 h		19966 h	A		RETIRE
MAIN SERVOCONTROL	SC8042	3794		170701	0,0		20000 h		20000,0		35 h		19966 h	A		RETIRE
MAIN SERVOCONTROL	SC8042	3825		170701	0,0		20000 h		20000,0		35 h		19966 h	A		RETIRE
MAIN SERVOCONTROL	SC8043	2008		170701	0,0		20000 h		20000,0		35 h		19966 h	A		RETIRE
MAIN SERVOCONTROL				170701	0,0		INF							A	#####	RETIRE
COMPONENTS SUBJECT TO TBO, MSM 05-10-00																
LOAD CELL	210-287-00	09247		170701	0,0	0	1000 OPH	60M	1000,0	220701		52,4 m	966 h	A		OH
CARGO HOOK	52802856	00033		170701	0,0	0	1000 OPH	60M	1000,0	220701		52,4 m	966 h	A		OH
MAIN MODULE (BEVEL REDUCTION GEAR)	350A32-0352-00	M5935		170701	0,0	0	3000 h	288M	3000,0	410701	35 h	280,7 m	2966 h	A		OH
EPICYCLIC REDUCTION GEAR	350A32-0120-00	M9820		170701	0,0	0	3000 h	288M	3000,0	410701	35 h	280,7 m	2966 h	A		OH
OIL PUMP	350A32-0400-00	M6194		170701	0,0	0	4000 h		4000,0		35 h		3966 h	A		OH
FREE WHEEL ASSY	0.292.90.020.0	8061		170701	0,0		4000 h		4000,0		35 h		3966 h	A		OH
TGB ASSY	350A33-0502-00	M1851		170701	0,0		4000 h	288M	4000,0	410701	35 h	280,7 m	3966 h	A		OH
MAIN SERVOCONTROL	SC8042	3794		170701	0,0	0	3000 h	240M	3000,0	370701	35 h	232,6 m	2966 h	A		OH
MAIN SERVOCONTROL	SC8042	3825		170701	0,0	0	3000 h	240M	3000,0	370701	35 h	232,6 m	2966 h	A		OH
MAIN SERVOCONTROL	SC8043	2008		170701	0,0	0	3000 h	240M	3000,0	370701	35 h	232,6 m	2966 h	A		OH
STARTER GENERATOR	150SG122Q-4	S01188		170701	0,0	0	1200 h		1200,0		35 h		1166 h	A		OH
COMPONENTS SUBJECT TO OTL, MSM 05-11-00																
ELASTIC BELT	6PK637-SK801			170701	0,0		3500 h		3500,0		35 h		3466 h	A		RETIRE
BATTERY PACK, ELT	BAT200			170701	0,0			73M		230801		65,4 m		A		RETIRE
CABIN FIRE EXTINGUISHER	S26A10T1001	ACW02202		170701	0,0			120M		270701		112,5 m		A		RETIRE
ROTOR MAST BEARING	Y45RU10998S3M74			170701	0,0		3000 h		3000,0		35 h		2966 h	A		RETIRE
SWASHPLATE BEARING	Y51BB10843S2M47			170701	0,0		6600 h		6600,0		35 h		6566 h	A		RETIRE
HYDRAULIC PUMP - V BELT	597K4			170701	0,0		1800 h	72M	1800,0	230701	35 h	64,4 m	1766 h	A		RETIRE
HYDRAULIC PUMP DRIVE BEARING	594976			170701	0,0		3600 h	72M	3600,0	230701	35 h	64,4 m	3566 h	A		RETIRE

OPERATOR: ROPLAN
 AIRCRAFT TYPE: EUROCOPTER EC 130 T2 (H130)
 AIRCRAFT S/N: 8398
 REGISTRATION: SE-JVG

Ng CY. ENL.FLIGHT LOG: 47,00
 Nf CY. ENL.FLIGHT LOG: 18,00

AC/TT: 34,5
 LANDINGS: 0
 ENG./TT: 0,0
 ENG.Ng/CY: 47,00
 ENG.Nf/CY: 18,00

DATE 180219

A=Airframe hrs, E= Engine hrs, L=Landings, C=Cycles

INSPECTION	P/N	S/N	POS.	INSTALLATION			TBO	TBO	REM	REM	HRS/	M. TO	HRS / C	CODE	VARN	REMARKS
				DATE.	HRS /	TSO	HRS /	M	HRS /	DATE	C/M IN	SERV	TO			
OIL FILTER	FA01315A			170701	0,0		600 h	24M	600,0	190701	35 h	16,3 m	566 h	A		RETIRE
FREE WHEEL(PART OF 0292.90.020.0)	9.560.90.123.0			170701	0,0		4000 h		4000,0		35 h		3966 h	A		RETIRE
FR ball bearing free wheel(PART OF 0292.90.020.0)	9.606.65.100.1			170701	0,0		4000 h		4000,0		35 h		3966 h	A		RETIRE
Rear ball bearing free wheel(PART OF 0292.90.020.0)	9.606.65.100.1			170701	0,0		4000 h		4000,0		35 h		3966 h	A		RETIRE
Rear ball bearing free wheel assy(PART OF 0292.90.020.0)	9.606.68.100.1			170701	0,0		4000 h		4000,0		35 h		3966 h	A		RETIRE
TAIL ROTOR DRIVE BEARING	593404			170701	0,0		3600 h	72M	3600,0	230701	35 h	64,4 m	3566 h	A		RETIRE
SPECIFIC PERIODIC INTERVALS, MSM 05-25-00																
AIR INTAKES - Radiator	AMM 21-00-00,7-1			170701	0,0		600 h	12M	600,0							CLEAN
FREON AIRCON SYSTEM	AMM 21-51-02, 2-1			170701	0,0	0		1M		170801		-6,7 m		A	VARN	FT
Cockpit and cabin evaporator harnesses - Condenser	AMM 21-00-00,7-1			170701	0,0		600 h	12M	600,0	180701	35 h	4,3 m	566 h	A		CLEAN
PROBE	AMM 21-51-02, 5-5			170701	0,0		3000 h		3000,0		35 h		2966 h	A		FNC
BATTERY	CHECK §2.B			180129	0,0	0		6M		180729		5,2 m		A		CMM 24-33-96
BEARPAW INSPECTION ICA-D130-700	Ch. 5.1			170701	0,0	0	300 h		300,0		35 h		266 h	A		INSPECT
ENERGY ABSORPTION FRONT SEAT	CMM 25-12-31	LX1100448044		170701	0,0	0	1800 h		1800,0				1766 h	A		SICMA 198
ENERGY ABSORPTION FRONT SEAT-RAILS	AMM 25-21-01, 6-1			170701	0,0	0	2400 h		2400,0					A		SICMA 198
REAR SEAT	CMM 25-12-32	33		170701	0,0	0	1800 h		1800,0					A		SICMA 284
REAR SEAT FITTINGS	AMM 25-22-01, 6-1			170701	0,0	0,0	2400 h		2400,0				2366 h	A	#####	SICMA 284
ELT TEST - KANNAD 406 AF-H	S1826502-02			170701	0,0	0,0		1M		170801		-6,7 m		A	#####	SELF-TEST
CARGO SLING INSTALLATION	AMM 25-92-00, 3-2			170701	0,0	0,0		1M		170801		-6,7 m		A	#####	CLEANING
CARGO SLING INSTALLATION	AMM 25-92-00, 6-1			170701	0,0	0,0	100 OPH	12M	#####	180701		4,3 m	#####	A	#####	CHK & FT
CARGO SLING INSTALLATION	AMM 25-92-00, 3-3			170701	0,0	0,0	500 OPH		#####				#####			GREASING
CARGO SLING INSTALLATION	AMM 25-92-00, 6-4			170701	0,0	0,0	1000 OPH	60M	#####	220701		52,4 m	#####	A	#####	DI
ENGINE FIRE DETECTOR	AMM 26-11-00, 6-1			170701	0,0	0,0	3500 h		3500,0	161203			3466 h	A		DI
LOW LEVEL FUEL WARNING	AMM 28-41-01, 5-2			170701	0,0	0,0	3000 h	24M	3000,0	190701	35 h	16,3 m	2966 h	C	#####	FT
HYDRAULIC SYSTEM	29-00-00, 3-3 3-6			170701	0,0	0,0	3000 h	48M	3000,0	210701	35 h	40,4 m	2966 h	A	#####	
INTERMEDIATE STRUCTURE/TAIL BOOM	AMM 53-31-00, 6-1			170701	0,0	0,0	2500 h	72M	2500,0	230701	35 h	64,4 m	2466 h	A	#####	VI, TQ CHK
TR DRIVE ENGINE TO MGB COUPLING	AMM 05-60-00, 6-1			170701	0,0	0,0		72M		230701		64,4 m		A		144M INITIAL
MGB/TGB ASSY	AMM 05-60-00, 6-1			170701	0,0	0,0		72M		230701		64,4 m		A	#####	144M INITIAL
SPRING-TYP VIBRATION DAMPER	AMM 62-21-00, 6-11			170701	0,0	0,0	3000 h	72M	3000,0	230701	35 h	64,4 m	2966 h	C		DI
ROTOR MAST - LOWER SECTION	AMM 62-31-00, 6-5			170701	0,0			72M		230701		64,4 m		C		DI
SWASHPLATE - GVI OF GUIDE	AMM 62-32-00, 6-2			170701	0,0		300 h		300,0		35 h		266 h	C		GVI
SWASHPLATE - TACTILE CHK BALLJOINT	AMM 62-32-00, 6-1			170701	0,0		300 h		300,0		35 h		266 h	C		GVI
LAMINATE SUSPENSION BLOCKS	AMM 63-31-00, 6-1			170701	0,0		3000 h	72M	3000,0	230701	35 h	64,4 m	2966 h	C		DI
LAMINATE SUSPENSION BLOCKS SUPPORTS	AMM 63-31-00, 6-2			170701	0,0		3000 h	72M	3000,0	230701	35 h	64,4 m	2966 h	C		DI
LAMINATE SUSPENSION BLOCKS - BOLTS	AMM 63-31-00, 6-3			170701	0,0		3000 h	72M	3000,0	230701	35 h	64,4 m	2966 h	C		DI

OPERATOR: ROPLAN
 AIRCRAFT TYPE: EUROCOPTER EC 130 T2 (H130)
 AIRCRAFT S/N: 8398
 REGISTRATION: SE-JVG

Ng CY. ENL.FLIGHT LOG: 47,00
 Nf CY. ENL.FLIGHT LOG: 18,00

AC/TT: 34,5
 LANDINGS: 0
 ENG./TT: 0,0
 ENG.Ng/CY: 47,00
 ENG.Nf/CY: 18,00

DATE 180219

A=Airframe hrs, E= Engine hrs, L=Landings, C=Cycles

INSPECTION	P/N	S/N	POS.	INSTALLATION		TBO HRS /	TBO M	REM HRS /	REM DATE	HRS/ C/M IN	M. TO SERV	HRS / C TO	CODE	VARN	REMARKS	
				DATE.	HRS /											
COMPONENT AC/TT, ENGINE ARRIEL 2D S/N: 53042																
AXIAL COMPRESSOR WHEEL	2292153270	2892FB		170701	0,0	0		22000		35 c		21965,5	A	#####	REPLACE	
CENTRIFUGAL IMPELLER	292260010	4635CAR		170701	0,0	0		22000		35 c		21965,5	A		REPLACE	
INJECTION WHEEL	2292260210	T0400CTF		170701	0,0	0		22000		35 c		21965,5			REPLACE	
HP TURBINE DISC	2292260060	Y111AD		170701	0,0	0		22000		35 c		21965,5			REPLACE	
POWER TURBINE DISC	2292810790	S7615CTF		170701	0,0	0		22000		35 c		21965,5			REPLACE	
CYCLE COUNTING TEST	73-21-00-750-801			170701	0,0	0		600 h		35 h		565,5			REPLACE	
MODULE 1 ASSY - ACCESSORY GEARBOX	72-61-00-01-001	23044		170701	0,0	0		3500 h	180M	35 h		3465,5			REPLACE	
MODULE 2 ASSY - AXIAL COMPRESSOR	72-32-00-01-001	25341		170701	0,0	0		3500 h	180M	35 h		3465,5			REPLACE	
MODULE 3 ASSY - GAS GENERATOR	72-43-00-01-001	33378		170701	0,0	0		3500 h	180M	35 h		3465,5			REPLACE	
MODULE 4 ASSY - POWER TURBINE	72-54-00-01-001	27343		170701	0,0	0		3500 h	180M	35 h		3465,5			REPLACE	
MODULE 5 ASSY - REDUCTION GEAR	72-15-00-01-001	26340		170701	0,0	0		3500 h	180M	35 h		3465,5			REPLACE	
ADJUSTED PUMP AND METERING VALVE	73-23-00-01-010	51149		170701	0,0	0		3000 h	120M	35 h		2965,5			REPLACE	
FREE WHEEL ASSY	83-12-00-02-001	8061		170701	0,0	0		3500 h		35 h		3465,5			REPLACE	
BEARING	9609000486			170701	0,0	0		7000 h		35 h		6965,5			REPLACE	
BEARING	9606490202			170701	0,0	0		7000 h		35 h		6965,5			REPLACE	
BEARING	9609000493			170701	0,0	0		7000 h		35 h		6965,5			REPLACE	
HP TURBINE BLADE	229226A560	6215		170701	0,0	0		6000 h		35 h		5965,5			REPLACE	
HP TURBINE BLADE	229226A560	6215		170701	0,0	0		10000 c		35 c		9965,5			REPLACE	
BEARING	9609000166			170701	0,0	0		3500 h		35 h		3465,5			REPLACE	
BEARING	9609000554			170701	0,0	0		3500 h		35 h		3465,5			REPLACE	
POWER TURBINE BLADE	229281A440	108746		170701	0,0	0		7000 h		35 h		6965,5			REPLACE	
POWER TURBINE BLADE	229281A440	108746		170701	0,0	0		10000 c		35 h		9965,5			REPLACE	
POWER TURBINE NUT	0292810450	5911		170701	0,0	0		3500 h		47 c		3453			REPLACE	
BEARING	9608650901			170701	0,0	0		7000 h		35 h		6965,5			REPLACE	
FREE WHEEL	9560157860	1185		170701	0,0	0		3500 h		35 h		3465,5			REPLACE	
FREE WHEEL SHAFT	0292907670	1152		170701	0,0	0		12000 h		35 h		11965,5			REPLACE	
ELECTRICAL MAG PLUG - INSPECTION	79-38-00-110-801			170701	0,0	0		300 h		47 c		253			REPLACE	
OIL SYSTEM DRAINING	79-00-00-610-801			170914	33,3	0		600 h	24M	1 h		598,8			REPLACE	
COMPONENT, CALENDER TIME																
COMPASS SWING				170701	0,0					8 m		16,3 m		C	#####	INSPECTION
FIRST AID KIT				170701	0,0					8 m		4,3 m		C	#####	INSPECTION
AIRWORTHINESS				170701	0,0					8 m		4,3 m		C	#####	OVERHAUL
AIRSPED IND				170701	0,0					8 m		16,3 m		C	#####	INSPECTION
ALTIMETER				170701	0,0					8 m		16,3 m		C	#####	INSPECTION

